

**IN THE CLAIMS:**

The following listing of claims will replace all prior listings of claims in the application:

1. – 51. (Cancelled)

52. (New): A method for organizing one or more application windows within at least one computer display, the method comprising:

dividing the at least one computer display with one or more user-defined boundaries to create two or more window areas within the at least one computer display, wherein each of the one or more user-defined boundaries extends between two different sides of the at least one computer display;

associating a first application window with a first window area within the at least one computer display based on user input, wherein only the first application window can be displayed within the first window area; and

displaying the first application window within the first window area within the at least one computer display based on user input.

53. (New): The method of claim 52, comprising the step of storing the one or more user-defined boundaries as a boundary layout template that is available for recall by the user.

54. (New): The method of claim 52, further comprising the steps of adjusting the length associated with a first user-defined boundary in the one or more user-defined boundaries, and adjusting the two or more window areas based on the adjusted length associated with the first user-defined boundary.

55. (New): The method of claim 52, further comprising the step of storing the association between the first application window and the first window area within the at least one computer.

56. (New): The method claim 52, further comprising the step of resizing the first application window to cover an entire area of the first window area within the at least one computer.
57. (New): The method of claim 52, further comprising the step of resizing the first application window to cover a first portion of the first window area, wherein an area defined by the first portion is less than an entire area of the first window area within the at least one computer.
58. (New): The method of claim 52, wherein the one or more user-defined boundaries are associated with a pre-defined boundary layout template selected by the user.
59. (New): The method of claim 52, wherein a first portion of the first window area is within a first computer display and a second portion of the first window area is within a second computer display.
60. (New): A computer-readable medium including instructions that, when executed by a processing unit, cause the processing unit to organize one or more application windows within at least one computer display by performing the steps of:  
dividing the at least one computer display with one or more user-defined boundaries to create two or more window areas within the at least one computer display, wherein each of the one or more user-defined boundaries extends between two different sides of the at least one computer display;  
associating a first application window with a first window area within the at least one computer display based on user input, wherein only the first application window can be displayed within the first window area; and  
displaying the first application window within the first window area within the at least one computer display based on user input.

61. (New): The computer-readable medium of claim 60, comprising the step of storing the one or more user-defined boundaries as a boundary lay out template that is available for recall by the user.

62. (New): The computer-readable medium of claim 60, further comprising the steps of adjusting the length associated with a first user-defined boundary in the one or more user-defined boundaries, and adjusting the two or more window areas based on the adjusted length associated with the first user-defined boundary.

63. (New): The computer-readable medium of claim 60, further comprising the step of storing the association between the first application window and the first window area within the at least one computer.

64. (New): The computer-readable medium of claim 60, further comprising the step of resizing the first application window to cover an entire area of the first window area within the at least one computer.

65. (New): The computer-readable medium of claim 60, further comprising the step of resizing the first application window to cover a first portion of the first window area, wherein an area defined by the first portion is less than an entire area of the first window area within the at least one computer.

66. (New): The computer-readable medium of claim 60, wherein the one or more user-defined boundaries are associated with a pre-defined boundary layout template selected by the user.

67. (New): The computer-readable medium of claim 60, wherein a first portion of the first window area is within a first computer display and a second portion of the first window area is within a second computer display.

68. (New): A computing device comprising:
- a processor;
  - at least one computer display; and
  - a memory configured to store an application that includes instruction which, when executed by the processor, cause the processor to perform operations for organizing one or more application windows within the at least one computer display, including the steps of:
    - dividing the at least one computer display with one or more user-defined boundaries to create two or more window areas within the at least one computer display, wherein each of the one or more user-defined boundaries extends between two different sides of the at least one computer display,
    - associating a first application window with a first window area within the at least one computer display based on user input, wherein only the first application window can be displayed within the first window area, and
    - displaying the first application window within the first window area within the at least one computer display based on user input.